

From Image File C:\AEB\RAW_Test_MG_4376.CR2

Total Tags = 433 (Includes Composite Tags) and Duplicate Tags

>--- Extracted Tag Position [-sort -a -m -u -g] ExifTool Ver: 10.07

```
|
| >--- TAG SLOGAN[Shooting Information] (All Tags)
| |
| | >--- Tag Data
| | |
1 Directory : C:/AEB/RAW_Test
2 Exif Byte Order : Little-endian (Intel, II)
3 File Access Date/Time : 2015:04:24 10:11:00+01:00
4 File Creation Date/Time : 2015:04:24 10:11:00+01:00
5 File Modification Date/Time : 2015:04:18 17:47:30+01:00
6 File Name : _MG_4376.CR2
7 File Permissions : rw-rw-rw-
8 File Size : 30 MB
9 File Type : CR2
10 File Type Extension : cr2
11 MIME Type : image/x-canon-cr2
12 Aperture Value : 9.9
13 Artist : Andrew Quinlan
14 Bits Per Sample : 8 8 8
15 Bits Per Sample : 16 16 16
16 Camera Model Name : Canon EOS 7D
17 Color Space : Uncalibrated
18 Components Configuration : Y, Cb, Cr, -
19 Compression : Uncompressed
20 Compression : JPEG (old-style)
21 Compression : JPEG (old-style)
22 Copyright : Andrew Quinlan
23 Create Date : 2015:04:18 17:47:29
24 Custom Rendered : Normal
25 Date/Time Original : 2015:04:18 17:47:29
26 Exif 0xc5d8 : 1
27 Exif 0xc5d9 : 2
28 Exif 0xc5e0 : 3
29 Exif 0xc6dc : 648 432 21 0
30 Exif Image Height : 3456
31 Exif Image Width : 5184
32 Exif Version : 0230
33 Exposure Compensation : 0
34 Exposure Mode : Auto
35 Exposure Program : Aperture-priority AE
36 Exposure Time : 1/100
37 F Number : 10.0
38 Flash : Off, Did not fire
39 Flashpix Version : 0100
40 Focal Length : 20.0 mm
41 Focal Plane Resolution Unit : inches
42 Focal Plane X Resolution : 5715.545755
43 Focal Plane Y Resolution : 5808.403361
44 GPS Version ID : 2.3.0.0
45 ISO : 100
46 Image Height : 3456
47 Image Height : 432
48 Image Width : 5184
49 Image Width : 670
50 Interoperability Index : R98 - DCF basic file (sRGB)
51 Interoperability Version : 0100
52 Lens Info : 10-20mm f/0
53 Lens Model : 10-20mm
54 Make : Canon
55 Metering Mode : Multi-segment
56 Modify Date : 2015:04:18 17:47:29
57 Orientation : Horizontal (normal)
58 Owner Name : Andrew Quinlan
59 Photometric Interpretation : RGB
```

```

60 Planar Configuration : Chunky
61 Preview Image Length : 4681234
62 Preview Image Start : 71376
63 Raw Image Segmentation : 2 1728 1904
64 Recommended Exposure Index : 100
65 Resolution Unit : inches
66 Rows Per Strip : 432
67 SRaw Type : 1
68 SRaw Type : 3
69 Samples Per Pixel : 3
70 Scene Capture Type : Standard
71 Sensitivity Type : Recommended Exposure Index
72 Serial Number : 1961001940
73 Shutter Speed Value : 1/99
74 Strip Byte Counts : 24894434
75 Strip Byte Counts : 1736640
76 Strip Offsets : 6489316
77 Strip Offsets : 4752612
78 Sub Sec Time : 56
79 Sub Sec Time Digitized : 56
80 Sub Sec Time Original : 56
81 Thumbnail Length : 14119
82 Thumbnail Offset : 57256
83 User Comment :
84 White Balance : Manual
85 X Resolution : 72
86 Y Resolution : 72
87 Rating : 0
88 AEB Auto Cancel : Off
89 AEB Bracket Value : 0
90 AEB Sequence : 0,-,+
91 AF Area Heights : 266 266 266 266 266 266 266 266 266 266 266 266 266
266 266 266 266 266 266
92 AF Area Mode : Single-point AF
93 AF Area Widths : 222 222 222 222 222 222 222 222 222 222 222 222 222
222 222 222 222 222
94 AF Area X Positions : -1373 -881 -881 -881 -393 -393 -393 0 0 0 0 0 393 393
393 881 881 881 1373
95 AF Area Y Positions : 0 393 0 -393 393 0 -393 743 393 0 -393 -743 393 0 -393
393 0 -393 0
96 AF Assist Beam : Emits
97 AF Image Height : 3456
98 AF Image Width : 5184
99 AF Info Size : 182
100 AF Micro Adj Mode : Adjust by lens
101 AF Micro Adj Value : 0
102 AF Microadjustment : Adjust by lens; 1; 0; 0; 0
103 AF Points In Focus : (none)
104 AF Points Selected : 9
105 AI Servo Image Priority : 1: AF, 2: Tracking
106 AI Servo Tracking Method : Main focus point priority
107 AI Servo Tracking Sensitivity : Unknown (255)
108 Add Aspect Ratio Info : Off
109 Add Original Decision Data : Off
110 Aspect Ratio : Unknown (256)
111 Auto Exposure Bracketing : Off
112 Auto ISO : 100
113 Auto Lighting Optimizer : Off
114 Average Black Level : 2047 2047 2047 2047
115 Base ISO : 100
116 Black Level : 129 129 129
117 Black Mask Bottom Border : 0
118 Black Mask Left Border : 0
119 Black Mask Right Border : 0
120 Black Mask Top Border : 0
121 Bracket Mode : Off
122 Bracket Shot Number : 0
123 Bracket Value : 0
124 Bulb Duration : 0
125 CRW Param : (Binary data 20916 bytes, use -b option to extract)
126 Camera Color Calibration 01 : -371 353 962 (10900K)

```

127 Camera Color Calibration 02 : -345 364 929 (10000K)
128 Camera Color Calibration 03 : -304 382 872 (8300K)
129 Camera Color Calibration 04 : -258 406 819 (7000K)
130 Camera Color Calibration 05 : -200 439 756 (6000K)
131 Camera Color Calibration 06 : -173 454 726 (5600K)
132 Camera Color Calibration 07 : -141 473 694 (5200K)
133 Camera Color Calibration 08 : -92 499 643 (4700K)
134 Camera Color Calibration 09 : -34 536 588 (4200K)
135 Camera Color Calibration 10 : 23 579 544 (3800K)
136 Camera Color Calibration 11 : 74 621 505 (3500K)
137 Camera Color Calibration 12 : 136 673 462 (3200K)
138 Camera Color Calibration 13 : 187 716 425 (3000K)
139 Camera Color Calibration 14 : 232 766 402 (2800K)
140 Camera Color Calibration 15 : 344 898 346 (2400K)
141 Camera Orientation : Horizontal (normal)
142 Camera Temperature : 21 C
143 Camera Temperature : 21 C
144 Camera Type : EOS High-end
145 Canon 0x0019 : 1
146 Canon 0x4009 : 0 0 0
147 Canon 0x4011 : [...]
148 Canon 0x4012 :
149 Canon 0x4017 : 460551 2323382272
150 Canon Exposure Mode : Aperture-priority AE
151 Canon Firmware Version : Firmware Version 2.0.3
152 Canon Flash Info : 0 0 0 0
153 Canon Flash Mode : Off
154 Canon Image Height : 3456
155 Canon Image Size : Large
156 Canon Image Type : Canon EOS 7D
157 Canon Image Width : 5184
158 Canon Model ID : EOS 7D
159 Chromatic Aberration Corr : Off
160 Chromatic Aberration Corr : Off
161 Chromatic Aberration Setting : Off
162 Color Data Version : 7 (500D/550D/7D/1DmkIV)
163 Color Space : Adobe RGB
164 Color Temp As Shot : 5200
165 Color Temp Auto : 5412
166 Color Temp Cloudy : 6000
167 Color Temp Daylight : 5200
168 Color Temp Flash : 6172
169 Color Temp Fluorescent : 3769
170 Color Temp Kelvin : 5200
171 Color Temp Measured : 5412
172 Color Temp Shade : 7000
173 Color Temp Tungsten : 3200
174 Color Temp Unknown : 5412
175 Color Temp Unknown 10 : 4010
176 Color Temp Unknown 11 : 4010
177 Color Temp Unknown 2 : 4791
178 Color Temp Unknown 3 : 5200
179 Color Temp Unknown 4 : 5200
180 Color Temp Unknown 5 : 5200
181 Color Temp Unknown 6 : 5200
182 Color Temp Unknown 7 : 4010
183 Color Temp Unknown 8 : 4010
184 Color Temp Unknown 9 : 4010
185 Color Temperature : 5200
186 Color Temperature : 5200
187 Color Tone : Normal
188 Color Tone Faithful : 0
189 Color Tone Landscape : 0
190 Color Tone Monochrome : 0
191 Color Tone Neutral : 0
192 Color Tone Portrait : 0
193 Color Tone Standard : 0
194 Color Tone User Def 1 : -2
195 Color Tone User Def 2 : 0
196 Color Tone User Def 3 : 0
197 Continuous Drive : Single

```

198 Contrast : Normal
199 Contrast Faithful : 0
200 Contrast Landscape : 0
201 Contrast Monochrome : 0
202 Contrast Neutral : 0
203 Contrast Portrait : 0
204 Contrast Standard : 2
205 Contrast User Def 1 : 0
206 Contrast User Def 2 : 0
207 Contrast User Def 3 : 0
208 Control Mode : Camera Local Control
209 Crop Bottom Margin : 0
210 Crop Left Margin : 0
211 Crop Right Margin : 0
212 Crop Top Margin : 0
213 Cropped Image Height : 3456
214 Cropped Image Left : 0
215 Cropped Image Top : 0
216 Cropped Image Width : 5184
217 Custom Controls : 0 0 0 0 0 0 0 0 0 0 1 0 3 0 0 0 0 0 0 0 1 0 222 222 222
222
218 Custom Picture Style File Name :
219 Daylight Savings : Off
220 Dial Direction Tv Av : Normal
221 Digital Gain : 0
222 Digital Zoom : None
223 Directory Index : 100
224 Display All AF Points : Enable
225 Dust Removal Data : (Binary data 1024 bytes, use -b option to extract)
226 Easy Mode : Manual
227 Exposure Compensation : 0
228 Exposure Level Increments : 1/3 Stop
229 Exposure Time : 1/108
230 Exposure Time : 1/99
231 F Number : 9.9
232 F Number : 10
233 File Index : 4376
234 Filter Effect Faithful : 0
235 Filter Effect Landscape : 0
236 Filter Effect Monochrome : None
237 Filter Effect Neutral : 0
238 Filter Effect Portrait : 0
239 Filter Effect Standard : 0
240 Filter Effect User Def 1 : None
241 Filter Effect User Def 2 : None
242 Filter Effect User Def 3 : None
243 Firmware Version : 2.0.3
244 Flash Activity : 0
245 Flash Bits : (none)
246 Flash Exposure Compensation : 0
247 Flash Exposure Lock : Off
248 Flash Guide Number : 0
249 Flash Metering Mode : Off
250 Flash Sync Speed Av : Auto
251 Flavor : (Binary data 16448 bytes, use -b option to extract)
252 Focal Length : 20 mm
253 Focal Length : 20 mm
254 Focal Plane X Unknown : 11675
255 Focal Plane Y Unknown : 19690
256 Focal Units : 1/mm
257 Focus Display AI Servo And MF : Enable
258 Focus Distance Lower : 3.41 m
259 Focus Distance Lower : 3.41 m
260 Focus Distance Upper : inf
261 Focus Distance Upper : inf
262 Focus Mode : Manual Focus (3)
263 Focus Range : Not Known
264 High ISO Noise Reduction : Off
265 High ISO Noise Reduction : Off
266 High ISO Noise Reduction : Off
267 Highlight Tone Priority : Off

```

268 Highlight Tone Priority : Off
269 Highlight Tone Priority : Disable
270 ISO : 100
271 ISO Expansion : On
272 ISO Speed Increments : 1/3 Stop
273 Internal Serial Number : S0882487A
274 Lens Drive No AF : Focus search off
275 Lens Model : 10-20mm
276 Lens Type : Canon EF 85mm f/1.2L or Sigma or Tamron Lens
277 Lens Type : Canon EF 85mm f/1.2L or Sigma or Tamron Lens
278 Linearity Upper Margin : 10000
279 Live View Shooting : Off
280 Long Exposure Noise Reduction : Off
281 Long Exposure Noise Reduction : Off
282 Macro Mode : Normal
283 Manual AF Point Select Pattern : Continuous
284 Manual Flash Output : n/a
285 Max Aperture : 3.6
286 Max Focal Length : 20 mm
287 Max Focal Length : 20 mm
288 Measured EV : 13.38
289 Measured EV : 13.375
290 Measured EV 2 : 13.625
291 Measured EV 2 : 13.625
292 Measured RGGB : 546 1024 1024 457
293 Metering Mode : Evaluative
294 Min Aperture : 22
295 Min Focal Length : 10 mm
296 Min Focal Length : 10 mm
297 Mirror Lockup : Disable
298 ND Filter : n/a
299 Normal White Level : 11767
300 Num AF Points : 19
301 Optical Zoom Code : n/a
302 Orientation Linked AF Point : Select different AF points
303 Original Decision Data Offset : 0
304 Original Image Height : 3456
305 Original Image Width : 5184
306 Owner Name : Andrew Quinlan
307 Per Channel Black Level : 2047 2047 2048 2047
308 Peripheral Illumination Corr : Off
309 Peripheral Lighting : Off
310 Peripheral Lighting Setting : Off
311 Peripheral Lighting Value : 0
312 Picture Style : Standard
313 Quality : RAW
314 Raw Jpg Size : Large
315 Raw Measured RGGB : 132200 258895 258892 111090
316 Record Mode : CR2+JPEG
317 SRAW Quality : n/a
318 Safety Shift : Disable
319 Saturation : Normal
320 Saturation Faithful : 6
321 Saturation Landscape : 7
322 Saturation Monochrome : 5
323 Saturation Neutral : 7
324 Saturation Portrait : 7
325 Saturation Standard : 7
326 Saturation User Def 1 : 6
327 Saturation User Def 2 : 5
328 Saturation User Def 3 : 6
329 Select AF Area Select Mode : Enable; Flags 0x1f
330 Self Timer : Off
331 Sensor Blue Level : 0
332 Sensor Bottom Border : 3511
333 Sensor Height : 3516
334 Sensor Left Border : 168
335 Sensor Red Level : 0
336 Sensor Right Border : 5351
337 Sensor Top Border : 56
338 Sensor Width : 5360

339 Serial Number : 1961001940
340 Sharpness : 7
341 Sharpness Faithful : 0
342 Sharpness Frequency : n/a
343 Sharpness Landscape : 0
344 Sharpness Monochrome : 0
345 Sharpness Neutral : 0
346 Sharpness Portrait : 0
347 Sharpness Standard : 0
348 Sharpness User Def 1 : -4
349 Sharpness User Def 2 : 0
350 Sharpness User Def 3 : 0
351 Shot Number In Continuous Burst : 0
352 Slow Shutter : None
353 Specular White Level : 12279
354 Target Aperture : 10
355 Target Exposure Time : 1/102
356 Thumbnail Image Valid Area : 0 159 7 112
357 Time Zone : +00:00
358 Time Zone City : London
359 Tone Curve : Standard
360 Toning Effect Faithful : 0
361 Toning Effect Landscape : 0
362 Toning Effect Monochrome : None
363 Toning Effect Neutral : 0
364 Toning Effect Portrait : 0
365 Toning Effect Standard : 0
366 Toning Effect User Def 1 : None
367 Toning Effect User Def 2 : None
368 Toning Effect User Def 3 : None
369 User Def 1 Picture Style : Unknown (0)
370 User Def 2 Picture Style : Unknown (0)
371 User Def 3 Picture Style : Standard
372 VF Display Illumination : Enable
373 VRD Offset : 0
374 Valid AF Points : 19
375 Vignetting Corr Version : 0
376 WB Bracket Mode : Off
377 WB Bracket Value AB : 0
378 WB Bracket Value GM : 0
379 WB RGGB Levels As Shot : 2217 1024 1024 1511
380 WB RGGB Levels Auto : 2305 1024 1024 1494
381 WB RGGB Levels Cloudy : 2389 1024 1024 1387
382 WB RGGB Levels Daylight : 2217 1024 1024 1511
383 WB RGGB Levels Flash : 2450 1024 1024 1380
384 WB RGGB Levels Fluorescent : 1956 1024 1024 2127
385 WB RGGB Levels Kelvin : 2217 1024 1024 1511
386 WB RGGB Levels Measured : 2302 1030 1017 1490
387 WB RGGB Levels Shaded : 2583 1024 1024 1280
388 WB RGGB Levels Tungsten : 1558 1024 1024 2270
389 WB RGGB Levels Unknown : 520 1170 1170 802
390 WB RGGB Levels Unknown 10 : 1041 1024 1024 1027
391 WB RGGB Levels Unknown 11 : 1041 1024 1024 1027
392 WB RGGB Levels Unknown 2 : 2198 1024 1024 1659
393 WB RGGB Levels Unknown 3 : 2217 1024 1024 1511
394 WB RGGB Levels Unknown 4 : 2217 1024 1024 1511
395 WB RGGB Levels Unknown 5 : 2217 1024 1024 1511
396 WB RGGB Levels Unknown 6 : 2217 1024 1024 1511
397 WB RGGB Levels Unknown 7 : 1041 1024 1024 1027
398 WB RGGB Levels Unknown 8 : 1041 1024 1024 1027
399 WB RGGB Levels Unknown 9 : 1041 1024 1024 1027
400 WB Shift AB : 0
401 WB Shift GM : 0
402 White Balance : Daylight
403 White Balance : Daylight
404 White Balance Blue : 0
405 White Balance Red : 0
406 Zoom Source Width : 0
407 Zoom Target Width : 0
408 Aperture : 10.0
409 Blue Balance : 1.475586

410 Circle Of Confusion : 0.019 mm
411 Create Date : 2015:04:18 17:47:29.56
412 Date/Time Original : 2015:04:18 17:47:29.56
413 Depth Of Field : inf (2.08 m - inf)
414 Drive Mode : Single-frame Shooting
415 Field Of View : 59.6 deg
416 File Number : 100-4376
417 Focal Length : 20.0 mm (35 mm equivalent: 31.4 mm)
418 Hyperfocal Distance : 2.09 m
419 ISO : 100
420 Image Size : 5184x3456
421 Lens : 10.0 - 20.0 mm
422 Lens : 10.0 - 20.0 mm (35 mm equivalent: 15.7 - 31.4 mm)
423 Lens ID : Sigma 10-20mm f/3.5 EX DC HSM
424 Light Value : 13.3
425 Megapixels : 17.9
426 Modify Date : 2015:04:18 17:47:29.56
427 Preview Image : (Binary data 4681234 bytes, use -b option to extract)
428 Red Balance : 2.165039
429 Scale Factor To 35 mm Equivalent: 1.6
430 Shooting Mode : Aperture-priority AE
431 Shutter Speed : 1/100
432 Thumbnail Image : (Binary data 14119 bytes, use -b option to extract)
433 WB RGGB Levels : 2217 1024 1024 1511

....END