

Total Tags = 433 (Includes Composite Tags) and Duplicate Tags

>----- SORTED Tag Position

```
|
| >--- UnSorted Tag Reference [ -sort -a -m -u -g ] ExifTool Ver: 10.07
|
| >--- TAG SLOGAN[Shooting Information] (All Tags)
| | >--- Tag Data
| | |
1 108 Add Aspect Ratio Info : Off
2 109 Add Original Decision Data : Off
3 88 AEB Auto Cancel : Off
4 89 AEB Bracket Value : 0
5 90 AEB Sequence : 0,-,+
6 91 AF Area Heights : 266 266 266 266 266 266 266 266 266 266 266 266
266 266 266 266 266 266 266
7 92 AF Area Mode : Single-point AF
8 93 AF Area Widths : 222 222 222 222 222 222 222 222 222 222 222 222
222 222 222 222 222 222 222
9 94 AF Area X Positions : -1373 -881 -881 -881 -393 -393 -393 0 0 0 0 0 393
393 393 881 881 881 1373
10 95 AF Area Y Positions : 0 393 0 -393 393 0 -393 743 393 0 -393 -743 393 0
-393 393 0 -393 0
11 96 AF Assist Beam : Emits
12 97 AF Image Height : 3456
13 98 AF Image Width : 5184
14 99 AF Info Size : 182
15 100 AF Micro Adj Mode : Adjust by lens
16 101 AF Micro Adj Value : 0
17 102 AF Microadjustment : Adjust by lens; 1; 0; 0; 0
18 103 AF Points In Focus : (none)
19 104 AF Points Selected : 9
20 105 AI Servo Image Priority : 1: AF, 2: Tracking
21 106 AI Servo Tracking Method : Main focus point priority
22 107 AI Servo Tracking Sensitivity : Unknown (255)
23 408 Aperture : 10.0
24 12 Aperture Value : 9.9
25 13 Artist : Andrew Quinlan
26 110 Aspect Ratio : Unknown (256)
27 111 Auto Exposure Bracketing : Off
28 112 Auto ISO : 100
29 113 Auto Lighting Optimizer : Off
30 114 Average Black Level : 2047 2047 2047 2047
31 115 Base ISO : 100
32 14 Bits Per Sample : 8 8 8
33 15 Bits Per Sample : 16 16 16
34 116 Black Level : 129 129 129
35 117 Black Mask Bottom Border : 0
36 118 Black Mask Left Border : 0
37 119 Black Mask Right Border : 0
38 120 Black Mask Top Border : 0
39 409 Blue Balance : 1.475586
40 121 Bracket Mode : Off
41 122 Bracket Shot Number : 0
42 123 Bracket Value : 0
43 124 Bulb Duration : 0
44 126 Camera Color Calibration 01 : -371 353 962 (10900K)
45 127 Camera Color Calibration 02 : -345 364 929 (10000K)
46 128 Camera Color Calibration 03 : -304 382 872 (8300K)
47 129 Camera Color Calibration 04 : -258 406 819 (7000K)
48 130 Camera Color Calibration 05 : -200 439 756 (6000K)
49 131 Camera Color Calibration 06 : -173 454 726 (5600K)
50 132 Camera Color Calibration 07 : -141 473 694 (5200K)
51 133 Camera Color Calibration 08 : -92 499 643 (4700K)
52 134 Camera Color Calibration 09 : -34 536 588 (4200K)
53 135 Camera Color Calibration 10 : 23 579 544 (3800K)
```

```

54 136 Camera Color Calibration 11 : 74 621 505 (3500K)
55 137 Camera Color Calibration 12 : 136 673 462 (3200K)
56 138 Camera Color Calibration 13 : 187 716 425 (3000K)
57 139 Camera Color Calibration 14 : 232 766 402 (2800K)
58 140 Camera Color Calibration 15 : 344 898 346 (2400K)
59 16 Camera Model Name : Canon EOS 7D
60 141 Camera Orientation : Horizontal (normal)
61 142 Camera Temperature : 21 C
62 143 Camera Temperature : 21 C
63 144 Camera Type : EOS High-end
64 145 Canon 0x0019 : 1
65 146 Canon 0x4009 : 0 0 0
66 147 Canon 0x4011 : [...]
67 148 Canon 0x4012 :
68 149 Canon 0x4017 : 460551 2323382272
69 150 Canon Exposure Mode : Aperture-priority AE
70 151 Canon Firmware Version : Firmware Version 2.0.3
71 152 Canon Flash Info : 0 0 0 0
72 153 Canon Flash Mode : Off
73 154 Canon Image Height : 3456
74 155 Canon Image Size : Large
75 156 Canon Image Type : Canon EOS 7D
76 157 Canon Image Width : 5184
77 158 Canon Model ID : EOS 7D
78 159 Chromatic Aberration Corr : Off
79 160 Chromatic Aberration Corr : Off
80 161 Chromatic Aberration Setting : Off
81 410 Circle Of Confusion : 0.019 mm
82 162 Color Data Version : 7 (500D/550D/7D/1DmkIV)
83 17 Color Space : Uncalibrated
84 163 Color Space : Adobe RGB
85 164 Color Temp As Shot : 5200
86 165 Color Temp Auto : 5412
87 166 Color Temp Cloudy : 6000
88 167 Color Temp Daylight : 5200
89 168 Color Temp Flash : 6172
90 169 Color Temp Fluorescent : 3769
91 170 Color Temp Kelvin : 5200
92 171 Color Temp Measured : 5412
93 172 Color Temp Shade : 7000
94 173 Color Temp Tungsten : 3200
95 174 Color Temp Unknown : 5412
96 175 Color Temp Unknown 10 : 4010
97 176 Color Temp Unknown 11 : 4010
98 177 Color Temp Unknown 2 : 4791
99 178 Color Temp Unknown 3 : 5200
100 179 Color Temp Unknown 4 : 5200
101 180 Color Temp Unknown 5 : 5200
102 181 Color Temp Unknown 6 : 5200
103 182 Color Temp Unknown 7 : 4010
104 183 Color Temp Unknown 8 : 4010
105 184 Color Temp Unknown 9 : 4010
106 185 Color Temperature : 5200
107 186 Color Temperature : 5200
108 187 Color Tone : Normal
109 188 Color Tone Faithful : 0
110 189 Color Tone Landscape : 0
111 190 Color Tone Monochrome : 0
112 191 Color Tone Neutral : 0
113 192 Color Tone Portrait : 0
114 193 Color Tone Standard : 0
115 194 Color Tone User Def 1 : -2
116 195 Color Tone User Def 2 : 0
117 196 Color Tone User Def 3 : 0
118 18 Components Configuration : Y, Cb, Cr, -
119 19 Compression : Uncompressed
120 20 Compression : JPEG (old-style)
121 21 Compression : JPEG (old-style)
122 197 Continuous Drive : Single
123 198 Contrast : Normal
124 199 Contrast Faithful : 0

```

```

125 200 Contrast Landscape : 0
126 201 Contrast Monochrome : 0
127 202 Contrast Neutral : 0
128 203 Contrast Portrait : 0
129 204 Contrast Standard : 2
130 205 Contrast User Def 1 : 0
131 206 Contrast User Def 2 : 0
132 207 Contrast User Def 3 : 0
133 208 Control Mode : Camera Local Control
134 22 Copyright : Andrew Quinlan
135 23 Create Date : 2015:04:18 17:47:29
136 411 Create Date : 2015:04:18 17:47:29.56
137 209 Crop Bottom Margin : 0
138 210 Crop Left Margin : 0
139 211 Crop Right Margin : 0
140 212 Crop Top Margin : 0
141 213 Cropped Image Height : 3456
142 214 Cropped Image Left : 0
143 215 Cropped Image Top : 0
144 216 Cropped Image Width : 5184
145 125 CRW Param : (Binary data 20916 bytes, use -b option to
extract)
146 217 Custom Controls : 0 0 0 0 0 0 0 0 0 0 1 0 3 0 0 0 0 0 0 0 1 0 222 222
222 222
147 218 Custom Picture Style File Name :
148 24 Custom Rendered : Normal
149 25 Date/Time Original : 2015:04:18 17:47:29
150 412 Date/Time Original : 2015:04:18 17:47:29.56
151 219 Daylight Savings : Off
152 413 Depth Of Field : inf (2.08 m - inf)
153 220 Dial Direction Tv Av : Normal
154 221 Digital Gain : 0
155 222 Digital Zoom : None
156 1 Directory : C:/AEB/RAW_Test
157 223 Directory Index : 100
158 224 Display All AF Points : Enable
159 414 Drive Mode : Single-frame Shooting
160 225 Dust Removal Data : (Binary data 1024 bytes, use -b option to
extract)
161 226 Easy Mode : Manual
162 26 Exif 0xc5d8 : 1
163 27 Exif 0xc5d9 : 2
164 28 Exif 0xc5e0 : 3
165 29 Exif 0xc6dc : 648 432 21 0
166 2 Exif Byte Order : Little-endian (Intel, II)
167 30 Exif Image Height : 3456
168 31 Exif Image Width : 5184
169 32 Exif Version : 0230
170 33 Exposure Compensation : 0
171 227 Exposure Compensation : 0
172 228 Exposure Level Increments : 1/3 Stop
173 34 Exposure Mode : Auto
174 35 Exposure Program : Aperture-priority AE
175 36 Exposure Time : 1/100
176 229 Exposure Time : 1/108
177 230 Exposure Time : 1/99
178 37 F Number : 10.0
179 231 F Number : 9.9
180 232 F Number : 10
181 415 Field Of View : 59.6 deg
182 3 File Access Date/Time : 2015:04:24 10:11:00+01:00
183 4 File Creation Date/Time : 2015:04:24 10:11:00+01:00
184 233 File Index : 4376
185 5 File Modification Date/Time : 2015:04:18 17:47:30+01:00
186 6 File Name : _MG_4376.CR2
187 416 File Number : 100-4376
188 7 File Permissions : rw-rw-rw-
189 8 File Size : 30 MB
190 9 File Type : CR2
191 10 File Type Extension : cr2
192 234 Filter Effect Faithful : 0

```

```

193 235 Filter Effect Landscape      : 0
194 236 Filter Effect Monochrome    : None
195 237 Filter Effect Neutral       : 0
196 238 Filter Effect Portrait      : 0
197 239 Filter Effect Standard      : 0
198 240 Filter Effect User Def 1    : None
199 241 Filter Effect User Def 2    : None
200 242 Filter Effect User Def 3    : None
201 243 Firmware Version             : 2.0.3
202 38  Flash                        : Off, Did not fire
203 244 Flash Activity               : 0
204 245 Flash Bits                   : (none)
205 246 Flash Exposure Compensation : 0
206 247 Flash Exposure Lock         : Off
207 248 Flash Guide Number          : 0
208 249 Flash Metering Mode         : Off
209 250 Flash Sync Speed Av         : Auto
210 39  Flashpix Version             : 0100
211 251 Flavor                       : (Binary data 16448 bytes, use -b option to
extract)
212 40  Focal Length                 : 20.0 mm
213 252 Focal Length                 : 20 mm
214 253 Focal Length                 : 20 mm
215 417 Focal Length                 : 20.0 mm (35 mm equivalent: 31.4 mm)
216 41  Focal Plane Resolution Unit  : inches
217 42  Focal Plane X Resolution     : 5715.545755
218 254 Focal Plane X Unknown        : 11675
219 43  Focal Plane Y Resolution     : 5808.403361
220 255 Focal Plane Y Unknown        : 19690
221 256 Focal Units                  : 1/mm
222 257 Focus Display AI Servo And MF : Enable
223 258 Focus Distance Lower         : 3.41 m
224 259 Focus Distance Lower         : 3.41 m
225 260 Focus Distance Upper         : inf
226 261 Focus Distance Upper         : inf
227 262 Focus Mode                   : Manual Focus (3)
228 263 Focus Range                  : Not Known
229 44  GPS Version ID               : 2.3.0.0
230 264 High ISO Noise Reduction     : Off
231 265 High ISO Noise Reduction     : Off
232 266 High ISO Noise Reduction     : Off
233 267 Highlight Tone Priority      : Off
234 268 Highlight Tone Priority      : Off
235 269 Highlight Tone Priority      : Disable
236 418 Hyperfocal Distance          : 2.09 m
237 46  Image Height                 : 3456
238 47  Image Height                 : 432
239 420 Image Size                   : 5184x3456
240 48  Image Width                  : 5184
241 49  Image Width                  : 670
242 273 Internal Serial Number       : S0882487A
243 50  Interoperability Index       : R98 - DCF basic file (sRGB)
244 51  Interoperability Version     : 0100
245 45  ISO                          : 100
246 270 ISO                          : 100
247 419 ISO                          : 100
248 271 ISO Expansion                : On
249 272 ISO Speed Increments         : 1/3 Stop
250 421 Lens                         : 10.0 - 20.0 mm
251 422 Lens                         : 10.0 - 20.0 mm (35 mm equivalent: 15.7 - 31.4 mm)
252 274 Lens Drive No AF             : Focus search off
253 423 Lens ID                      : Sigma 10-20mm f/3.5 EX DC HSM
254 52  Lens Info                    : 10-20mm f/0
255 53  Lens Model                   : 10-20mm
256 275 Lens Model                   : 10-20mm
257 276 Lens Type                    : Canon EF 85mm f/1.2L or Sigma or Tamron Lens
258 277 Lens Type                    : Canon EF 85mm f/1.2L or Sigma or Tamron Lens
259 424 Light Value                   : 13.3
260 278 Linearity Upper Margin       : 10000
261 279 Live View Shooting           : Off
262 280 Long Exposure Noise Reduction : Off

```

```

263 281 Long Exposure Noise Reduction : Off
264 282 Macro Mode : Normal
265 54 Make : Canon
266 283 Manual AF Point Select Pattern : Continuous
267 284 Manual Flash Output : n/a
268 285 Max Aperture : 3.6
269 286 Max Focal Length : 20 mm
270 287 Max Focal Length : 20 mm
271 288 Measured EV : 13.38
272 289 Measured EV : 13.375
273 290 Measured EV 2 : 13.625
274 291 Measured EV 2 : 13.625
275 292 Measured RGGB : 546 1024 1024 457
276 425 Megapixels : 17.9
277 55 Metering Mode : Multi-segment
278 293 Metering Mode : Evaluative
279 11 MIME Type : image/x-canon-cr2
280 294 Min Aperture : 22
281 295 Min Focal Length : 10 mm
282 296 Min Focal Length : 10 mm
283 297 Mirror Lockup : Disable
284 56 Modify Date : 2015:04:18 17:47:29
285 426 Modify Date : 2015:04:18 17:47:29.56
286 298 ND Filter : n/a
287 299 Normal White Level : 11767
288 300 Num AF Points : 19
289 301 Optical Zoom Code : n/a
290 57 Orientation : Horizontal (normal)
291 302 Orientation Linked AF Point : Select different AF points
292 303 Original Decision Data Offset : 0
293 304 Original Image Height : 3456
294 305 Original Image Width : 5184
295 58 Owner Name : Andrew Quinlan
296 306 Owner Name : Andrew Quinlan
297 307 Per Channel Black Level : 2047 2047 2048 2047
298 308 Peripheral Illumination Corr : Off
299 309 Peripheral Lighting : Off
300 310 Peripheral Lighting Setting : Off
301 311 Peripheral Lighting Value : 0
302 59 Photometric Interpretation : RGB
303 312 Picture Style : Standard
304 60 Planar Configuration : Chunky
305 427 Preview Image : (Binary data 4681234 bytes, use -b option to
extract)
306 61 Preview Image Length : 4681234
307 62 Preview Image Start : 71376
308 313 Quality : RAW
309 87 Rating : 0
310 63 Raw Image Segmentation : 2 1728 1904
311 314 Raw Jpg Size : Large
312 315 Raw Measured RGGB : 132200 258895 258892 111090
313 64 Recommended Exposure Index : 100
314 316 Record Mode : CR2+JPEG
315 428 Red Balance : 2.165039
316 65 Resolution Unit : inches
317 66 Rows Per Strip : 432
318 318 Safety Shift : Disable
319 69 Samples Per Pixel : 3
320 319 Saturation : Normal
321 320 Saturation Faithful : 6
322 321 Saturation Landscape : 7
323 322 Saturation Monochrome : 5
324 323 Saturation Neutral : 7
325 324 Saturation Portrait : 7
326 325 Saturation Standard : 7
327 326 Saturation User Def 1 : 6
328 327 Saturation User Def 2 : 5
329 328 Saturation User Def 3 : 6
330 429 Scale Factor To 35 mm Equivalent: 1.6
331 70 Scene Capture Type : Standard
332 329 Select AF Area Select Mode : Enable; Flags 0x1f

```

```

333 330 Self Timer : Off
334 71 Sensitivity Type : Recommended Exposure Index
335 331 Sensor Blue Level : 0
336 332 Sensor Bottom Border : 3511
337 333 Sensor Height : 3516
338 334 Sensor Left Border : 168
339 335 Sensor Red Level : 0
340 336 Sensor Right Border : 5351
341 337 Sensor Top Border : 56
342 338 Sensor Width : 5360
343 72 Serial Number : 1961001940
344 339 Serial Number : 1961001940
345 340 Sharpness : 7
346 341 Sharpness Faithful : 0
347 342 Sharpness Frequency : n/a
348 343 Sharpness Landscape : 0
349 344 Sharpness Monochrome : 0
350 345 Sharpness Neutral : 0
351 346 Sharpness Portrait : 0
352 347 Sharpness Standard : 0
353 348 Sharpness User Def 1 : -4
354 349 Sharpness User Def 2 : 0
355 350 Sharpness User Def 3 : 0
356 430 Shooting Mode : Aperture-priority AE
357 351 Shot Number In Continuous Burst : 0
358 431 Shutter Speed : 1/100
359 73 Shutter Speed Value : 1/99
360 352 Slow Shutter : None
361 353 Specular White Level : 12279
362 317 SRAW Quality : n/a
363 67 SRaw Type : 1
364 68 SRaw Type : 3
365 74 Strip Byte Counts : 24894434
366 75 Strip Byte Counts : 1736640
367 76 Strip Offsets : 6489316
368 77 Strip Offsets : 4752612
369 78 Sub Sec Time : 56
370 79 Sub Sec Time Digitized : 56
371 80 Sub Sec Time Original : 56
372 354 Target Aperture : 10
373 355 Target Exposure Time : 1/102
374 432 Thumbnail Image : (Binary data 14119 bytes, use -b option to
extract)
375 356 Thumbnail Image Valid Area : 0 159 7 112
376 81 Thumbnail Length : 14119
377 82 Thumbnail Offset : 57256
378 357 Time Zone : +00:00
379 358 Time Zone City : London
380 359 Tone Curve : Standard
381 360 Toning Effect Faithful : 0
382 361 Toning Effect Landscape : 0
383 362 Toning Effect Monochrome : None
384 363 Toning Effect Neutral : 0
385 364 Toning Effect Portrait : 0
386 365 Toning Effect Standard : 0
387 366 Toning Effect User Def 1 : None
388 367 Toning Effect User Def 2 : None
389 368 Toning Effect User Def 3 : None
390 83 User Comment :
391 369 User Def 1 Picture Style : Unknown (0)
392 370 User Def 2 Picture Style : Unknown (0)
393 371 User Def 3 Picture Style : Standard
394 374 Valid AF Points : 19
395 372 VF Display Illumination : Enable
396 375 Vignetting Corr Version : 0
397 373 VRD Offset : 0
398 376 WB Bracket Mode : Off
399 377 WB Bracket Value AB : 0
400 378 WB Bracket Value GM : 0
401 433 WB RGGGB Levels : 2217 1024 1024 1511
402 379 WB RGGGB Levels As Shot : 2217 1024 1024 1511

```

403	380	WB RGGB Levels Auto	:	2305	1024	1024	1494
404	381	WB RGGB Levels Cloudy	:	2389	1024	1024	1387
405	382	WB RGGB Levels Daylight	:	2217	1024	1024	1511
406	383	WB RGGB Levels Flash	:	2450	1024	1024	1380
407	384	WB RGGB Levels Fluorescent	:	1956	1024	1024	2127
408	385	WB RGGB Levels Kelvin	:	2217	1024	1024	1511
409	386	WB RGGB Levels Measured	:	2302	1030	1017	1490
410	387	WB RGGB Levels Shade	:	2583	1024	1024	1280
411	388	WB RGGB Levels Tungsten	:	1558	1024	1024	2270
412	389	WB RGGB Levels Unknown	:	520	1170	1170	802
413	390	WB RGGB Levels Unknown 10	:	1041	1024	1024	1027
414	391	WB RGGB Levels Unknown 11	:	1041	1024	1024	1027
415	392	WB RGGB Levels Unknown 2	:	2198	1024	1024	1659
416	393	WB RGGB Levels Unknown 3	:	2217	1024	1024	1511
417	394	WB RGGB Levels Unknown 4	:	2217	1024	1024	1511
418	395	WB RGGB Levels Unknown 5	:	2217	1024	1024	1511
419	396	WB RGGB Levels Unknown 6	:	2217	1024	1024	1511
420	397	WB RGGB Levels Unknown 7	:	1041	1024	1024	1027
421	398	WB RGGB Levels Unknown 8	:	1041	1024	1024	1027
422	399	WB RGGB Levels Unknown 9	:	1041	1024	1024	1027
423	400	WB Shift AB	:	0			
424	401	WB Shift GM	:	0			
425	84	White Balance	:	Manual			
426	402	White Balance	:	Daylight			
427	403	White Balance	:	Daylight			
428	404	White Balance Blue	:	0			
429	405	White Balance Red	:	0			
430	85	X Resolution	:	72			
431	86	Y Resolution	:	72			
432	406	Zoom Source Width	:	0			
433	407	Zoom Target Width	:	0			

....END